DATA DICTIONARY FOR SEVERE SEPSIS OR SEPTIC SHOCK

Version 1.2

June 10, 2014

The most recent version of this document, the *Frequently Asked Questions* document, and the *Table of Elements* data template and instructions may always be found at: http://protocol.sepsis.ipro.org

Questions regarding this document should be sent to: sepsis@ipro.us

Prepared by: Office of Quality and Patient Safety New York State Department of Health Phone: (518) 486-9012 Revised June 10, 2014

Table of Contents

D	emographic Variables	6
	Unique Personal Identifier	7
	Patient Control Number	8
	Date of Birth	9
	Gender1	LO
	Race 1	1
	Ethnicity1	L2
	Payer1	L3
	Insurance Number1	14
	Medical Record Number 1	۱5
	Facility Identifier1	16
	Admission Datetime 1	L7
	Source of Admission 1	18
	Discharge Datetime 1	19
	Discharge Status	20
	Protocol Initiated	22
	Protocol Initiated Place	23
	Protocol Type	24
	Excluded from Protocol	25
	Excluded Reason	26
	Excluded Datetime	27
	Excluded Explain	28
Α	dherence Variables	29
	Earliest Time	30
	Triage Datetime	31
	Protocol Datetime	32
	Vascular or Intraosseous Access Datetime	33
	Left ED Datetime	34
	Destination after ED	35

Lactate Reported	
Lactate Reported Datetime	
Lactate Level	
Lactate Level Unit	39
Lactate Re-ordered	40
Lactate Re-ordered Datetime	
Blood Cultures Obtained	
Blood Cultures Obtained Datetime	
Blood Cultures Result	
Blood Cultures Pathogen	45
Antibiotics Given	46
Antibiotics Start Datetime	47
Adult Fluids	
Pediatric Fluids	49
Fluids Completed Datetime	50
Fluids Assessment	51
Hypotension	52
Vasopressors Given	53
Vasopressors Given Datetime	54
CVP Measured	55
CVP Measured Datetime	56
ScVO ₂ Measured	57
ScVO ₂ Measured Datetime	58
Severity Adjustment Variables	59
Platelet Count	60
Bandemia	61
Lower Respiratory Infection	62
Altered Mental Status	63
Comorbidity Variables	64
Septic Shock Diagnosis	65
Infection Etiology	66

	Site of Infection	. 67
	Mechanical Ventilation	. 68
	Mechanical Ventilation Datetime	. 69
	ICU	. 70
	ICU Admission Datetime	. 71
	ICU Discharge Datetime	. 72
	Chronic Respiratory Failure	. 73
	AIDS/HIV Disease	. 74
	Metastatic Cancer	. 75
	Lymphoma/Leukemia/Multiple Myeloma	. 76
	Immune Modifying Medications	. 77
	Congestive Heart Failure	. 78
	Chronic Renal Failure	. 79
	Chronic Liver Disease	. 80
	Diabetes	. 81
	Organ Transplant	. 82
S	epsis Data Submission Data Types and Constraints	83
С	hange Log	. 85

Demographic Variables

Demographic Variables

Data Element Name:	Unique Personal Identifier
Format – Length:	Varchar-10
SPARCS variable:	Yes
Mandatory:	Yes

Description:

A composite field comprised of portions of the patient last name, first name, and social security number.

Included below are the individual components of this data element.

- "First 2" and "Last 2" characters of the Patient's Last Name. The birth name of the patient is preferable if it is available on the facility's information system.
- "First 2" characters of the Patient's First Name.
- "Last 4" digits of the Patient's Social Security Number.

Joe Tan with Social Security Number 123-456-7890 would be reported as TAANJO7890

NOTE: This data element is not to be confused with *Patient Control Number*, which provides linkage of all record types containing patient-related data for a specific discharge.

First and Last Name Components: Must be <u>UPPERCASE</u> alphabetic characters. If the last name is less than 4 characters, the first two and last two characters are used even if some characters are repeated.

Included below are examples of how to report some unusual scenarios. A three character last name, a two character last name, a name with junior, a one character first name, a last name with an apostrophe, and a hyphenated last name.

- Joe Tan would be reported as TAANJO
- Bill Su Jr. would be reported as SUSUBI
- E John Smith would be reported as SMTHEE
- Bob O'Brien would be reported as OBENBO
- Sue Jones-Davis would be reported as JOISSU

Social Security Number Component: Must be numeric. If no Social Security Number is available, this sub-field must be zeroes e.g. TAANJO0000

Dataset Segment:	Demographic Variables
Data Element Name:	Patient Control Number
Format – Length:	Varchar-20
SPARCS variable:	Yes
Mandatory:	Yes

A patient's unique number assigned by the provider to facilitate retrieval of individual financial and clinical records and posting of payment.

Codes and Values:

- Must not equal zero or blanks.
- Must be numeric (0-9) and/or alphabetic (a-z, A-Z).
- Special characters are invalid entries.

Dataset Segment:	Demographic Variables
Data Element Name:	Date of Birth
Format – Length:	Date-8
SPARCS variable:	Yes
Mandatory:	Yes

The date of birth of the patient.

Codes and Values:

- Format must be YYYYMMDD = Year Month Day (example November 3, 1959=19591103).
- Date of Birth cannot have been after Admission Date.

Demographic Variables

Data Element Name:GenderFormat – Length:Enumerated-1SPARCS variable:YesMandatory:Yes

Description:

The gender of the patient.

Codes and Values:

M = Male F = Female U = Unknown

Dataset Segment:	Demographic Variables
Data Element Name:	Race
Format – Length:	Set-47
SPARCS variable:	No
Mandatory:	Yes

The code that best describes the race of the patient.

Codes and Values:

- 01 = White
- 02 = African American (Black)
- 03 = Native American (American Indian/Eskimo/Aleut)
- 41 = Asian Indian
- 42 = Chinese
- 43 = Filipino
- 44 = Japanese
- 45 = Korean
- 46 = Vietnamese
- 49 = Other Asian
- 51 = Native Hawaiian
- 52 = Samoan
- 53 = Guamanian or Chamorro
- 59 = Other Pacific Islander
- 88 = Other Race
- MR = Multi-racial

Edit Applications:

• If reporting multiple race codes, use one field and separate using a colon, e.g. "01:41"

Demographic Variables

Data Element Name:EthnicityFormat – Length:Enumerated-1SPARCS variable:YesMandatory:Yes

Description:

The code that best describes the ethnicity of the patient.

Codes and Values:

- 2 = Not of Spanish/Hispanic Origin
- 3 = Mexican, Mexican American, Chicano/a
- 4 = Puerto Rican
- 5 = Cuban Origin
- 6 = Other Spanish/Hispanic Origin
- 9 = Unknown
- M = Multi-ethnic

Demographic Variables

Data Element Name:PayerFormat – Length:Enumerated -1SPARCS variable:YesMandatory:Yes

Description:

The code that indicates the primary payer for this hospitalization.

Codes and Values:

A=Self-Pay B=Workers' Compensation C=Medicare D=Medicaid E=Other Federal Program F=Commercial Insurance G=Blue Cross H=CHAMPUS I=Other Non-Federal Program J=Disability K=Title V L=Unknown

Demographic Variables

Data Element Name:	Insurance Number
Format – Length:	Varchar-19
SPARCS variable:	Yes
Mandatory:	Yes

Description:

The insurance policy identification number for the patient.

Codes and Values:

Edit Applications:

- Must not equal zero or blanks.
- Must be numeric (0-9) and/or alphabetic (a-z, A-Z).
- Special characters are invalid entries.

Facilities are directed to enter the following values:

Payer	Type of Number
Blue Cross	Enter the information depending on specific Blue Cross Plan needs and contract requirement.
CHAMPUS	Enter information depending on CHAMPUS regulations.
Medicaid	Enter Medicaid Client Identification Number (CIN) of the insured or case head
	Medicaid number shown on the Medicaid Identification Card.
Medicare	Enter the patient's Medicare HIC number as shown on the Health Insurance
	Card, Certificate of Award, Utilization Notice, Temporary Eligibility Notice, and Hospital Transfer Form or as reported by the Social Security Office.

For all other payer types, Commercial Insurers, etc. enter the insured's unique number assigned by the payer.

Dataset Segment:	Demographic Variables
Data Element Name:	Medical Record Number
Format – Length:	Varchar-17
SPARCS variable:	Yes
Mandatory:	Yes

The number used by the hospital's Medical Records Department to identify the patient's permanent medical record file. This number is not the same as the Patient Control Number.

Codes and Values:

Edit Applications:

- Must not equal zero or blanks.
- Must be numeric (0-9) and/or alphabetic (a-z, A-Z).
- Special characters are invalid entries.

Dataset Segment:	Demographic Variables
Data Element Name:	Facility Identifier
Format – Length:	Varchar -6
SPARCS variable:	Yes
Mandatory:	Yes

This number is the facility's four to six digit Permanent Facility Identifier (PFI) assigned by the Department of Health.

Department regulations state that services must be reported under the physical location where they are provided. Common ownership of different facilities does not change this requirement.

Codes and Values:

Edit Applications:

- Must be a valid number as maintained by the NYSDOH Division of Health Facility Planning.
- Must contain numbers 0-9.

Demographic Variables

Data Element Name:Admission DatetimeFormat – Length:Datetime-16SPARCS variable:NoMandatory:Yes

Description:

The date the patient was admitted to the hospital.

This is the date the patient arrived at the Emergency Room or was admitted to inpatient status, whichever is earlier.

Codes and Values:

Edit Applications:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been after *Discharge Date*.

Demographic Variables

Data Element Name:Source of AdmissionFormat – Length:Enumerated-1SPARCS variable:YesMandatory:Yes

Description:

The code that best describes the patient's origin before coming to the hospital.

Codes and Values:

1 = Non-Health Facility Point of Origin-The patient was admitted to this facility from home or from an assisted living facility.

2 = Clinic-The patient was referred to this facility as a transfer from a freestanding or nonfreestanding clinic.

4 = Transfer from a Hospital (Different Facility)-The patient was admitted to this facility as a hospital transfer from an acute care facility where he or she was an inpatient or outpatient. 5 = Transfer From a Skilled Nursing Facility (SNF) or Intermediate Care Facility (ICF)-The patient was admitted to this facility as a transfer from a SNF or ICF where he or she was a resident.

6 = Transfer From Another Health Care Facility-The patient was admitted to this facility as a transfer from another type of health care facility not defined elsewhere in this code list.

8 = Court/Law Enforcement- The patient was admitted to this facility upon the direction of a court of law, or upon the request of a law enforcement agency representative.

9 = Information Not Available-The means by which the patient was admitted to this hospital was not known.

E = Transfer from Ambulatory Surgery Center-The patient was admitted to this facility as a transfer from an ambulatory surgery center.

F = Transfer from Hospice and is Under a Hospice Plan of Care or Enrolled in a Hospice Program- The patient was admitted to this facility as a transfer from a hospice.

Demographic Variables

Data Element Name: Discharge Datetime Format – Length: Datetime-16 SPARCS variable: No Mandatory: Yes

Description:

The date the patient was discharged from the hospital.

Codes and Values:

Edit Applications:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm a. YYYY-MM-DDThh:mm is also valid
 - 2. YYYY = four-digit year MM = two-digit month (01=January, etc.) DD = two-digit day of month (01 through 31) hh = two digits of hour (00 through 23) (am/pm NOT allowed) mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot precede 2014-04-01 00:00
- Cannot precede Admission Date.

Demographic Variables

Data Element Name:Discharge StatusFormat – Length:Enumerated-2SPARCS variable:YesMandatory:Yes

Description:

The code that best represents the patient's destination after discharge from the hospital.

Codes and Values:

01 = Discharge to Home or Self Care (Routine Discharge). Includes discharge to home; home on oxygen if DME only; any other DME only; group home, foster care, independent living and other residential care arrangements; outpatient programs, such as partial hospitalization or outpatient chemical dependency programs.

02 = Discharged/transferred to a Short-Term General Hospital for Inpatient Care

03 = Discharged/transferred to Skilled Nursing Facility (SNF) with Medicare Certification in Anticipation of Skilled Care. Medicare Indicates that the patient is discharged/transferred to a Medicare certified nursing facility. For hospitals with an approved swing bed arrangement, use Code 61, Swing Bed. For reporting other discharges/transfers to nursing facilities see 04 and 64. 04 = Discharged/transferred to a Facility that Provides Custodial or Supportive Care. Used to designate patients that are discharged/transferred to a nursing facility with neither Medicare nor Medicaid certification and for discharges/transfers to Assisted Living Facilities.

05 = Discharged/transferred to a Designated Cancer Center or Children's Hospital.

06 = Discharged/transferred to Home under Care of Organized Home Health Service Organization in Anticipation of Covered Skilled Care. Report this code when the patient is discharged/transferred to home with a written plan of care (tailored to the patient's medical needs) for home care services. Not used for home health services provided by a DME supplier or from a Home IV provider for home IV services.

07 = Left against Medical Advice or Discontinued Care

09 = Admitted as an Inpatient to this Hospital-Patient admitted to the same short-term medical or specialty hospital where the hospital-based ambulatory surgery service was performed (excluding chronic disease hospitals).

20 = Expired

- 21 = Discharged/transferred to Court/Law Enforcement.
- 50 = Hospice Home
- 51 = Hospice Medical Facility (Certified) Providing Hospice Level of Care
- 61 = Discharged/transferred to Hospital-Based Medicare Approved Swing Bed
- 62 = Discharged/transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation

Distinct Part Units of a Hospital

63 = Discharged/transferred to a Medicare Certified Long Term Care Hospital (LTCH)

64 = Discharged/transferred to a Nursing Facility Certified under Medicaid but not certified under Medicare

65 = Discharged/transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital

66 = Discharged/transferred to a Critical Access Hospital (CAH)

69= Discharged/transferred to a Designated Disaster Alternative Care Site

70 = Discharged/transferred to another Type of Health Care Institution not defined Elsewhere in this Code List

81= Discharged to Home or Self Care with a Planned Acute Care Hospital Inpatient Readmission 82= Discharged/transferred to a Short-Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission

83= Discharged/transferred to Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute Care Hospital Inpatient Readmission

84= Discharged/transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care Hospital Inpatient Readmission

85= Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission

86= Discharged/transferred to Home Under Care of Organized Home Health Service Organization with a Planned Acute Care Hospital Inpatient Readmission

87= Discharged/transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission

88= Discharged/transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission

89= Discharged/transferred to Hospital-Based Medicare Approved Swing Bed with a Planned Acute Care Hospital Inpatient Readmission

90= Discharged/transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission 91= Discharged/transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care Hospital Inpatient Readmission

92= Discharged/transferred to a Nursing Facility Certified under Medicaid but not Certified under Medicare with a Planned Acute Care Hospital Inpatient Readmission

93= Discharged/transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital with a Planned Acute Care Hospital Inpatient Readmission

94= Discharged/transferred to a Critical Access Hospital (CAH) with a Planned Acute Care Hospital Inpatient Readmission

95= Discharged/transferred to another Type of Health Care Institution not Defined Elsewhere in this Code List with a Planned Acute Care Hospital Inpatient Readmission

Data Element Name:	Protocol Initiated
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate whether the severe sepsis or septic shock protocol was initiated.

Codes and Values:

0 = Protocol not initiated

1 = Protocol initiated

Edit Applications:

- If *Protocol Initiated* = 0 then *Protocol Initiated Place* = 0, and protocol adherence variables may be blank. However, if documentation in the medical record indicates that treatment was provided for one or more of the adherence variables, please complete these elements.
- All other data elements (i.e., severity adjustment and Comorbidity Variables) will have valid values.

Dataset Segment:

Demographic Variables

Demographic Variables

Data Element Name:Protocol Initiated PlaceFormat – Length:Enumerated-1SPARCS variable:NoMandatory:Yes

Description:

The code best represents where the protocol was initiated.

Codes and Values:

- 1 = Protocol initiated in the emergency room
- 2 = Protocol initiated on an inpatient floor (not ICU)
- 3 = Protocol initiated in the ICU
- 0 = Protocol not initiated

- If *Protocol Initiated* = 0 then *Protocol Initiated Place* = 0, and protocol adherence variables may be blank. However, if documentation in the medical record indicates that treatment was provided for one or more of the adherence variables, please complete these elements.
- All other data elements (i.e., severity adjustment and Comorbidity Variables) will have valid values.

Dataset Segment:	Demographic Variables
Data Element Name:	Protocol Type
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

The code best represents which protocol was initiated. This is the protocol that was deemed appropriate by the hospital; it does not have age restrictions.

Codes and Values:

- 1 = Adult protocol
- 2 = Pediatric protocol
- 0 = Protocol not initiated

- If Protocol Initiated =0 then Protocol Initiated Place and Protocol Type may = 0, and protocol adherence variables may be blank. However, if documentation in the medical record indicates that treatment was provided for one or more of the adherence variables, please complete these elements.
- All other data elements (i.e., severity adjustment and Comorbidity Variables) will have valid values.

Dataset Segment:	Demographic Variables
Data Element Name:	Excluded from Protocol
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if the patient was excluded from the protocol. If documentation in the medical record indicates that treatment was provided for one or more of the adherence variables, please complete these elements. All other data elements (i.e., severity adjustment and Comorbidity Variables) will have valid values.

Codes and Values:

- 0 = Patient not excluded from the protocol
- 1 = Patient excluded from the protocol

Dataset Segment:	Demographic Variables
Data Element Name:	Excluded Reason
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Situational

The code represents the reason the patient was excluded from the protocol. If interventions were clinically contraindicated, check the specific intervention(s) that were clinically contraindicated in the Excluded Explain variable.

Codes and Values:

1 = Interventions clinically contraindicated

2 = Patient has advanced directives in place that precluded one or more elements of the protocol

3 = Patient, or surrogate decision maker, declined interventions

4 = Patient is enrolled in an IRB approved trial that is inconsistent with the protocol interventions

5 = Patient is a newborn or infant in the NICU that had not been previously discharged from initial birth stay

Edit Applications:

• If *Excluded Reason* =1 then valid value must be reported in *Excluded Explain* else *Excluded Explain* will be blank.

Dataset Segment:	Demographic Variables
Data Element Name:	Excluded Datetime
Format – Length:	Datetime-16
SPARCS variable:	No
Mandatory:	Situational

Date the person was excluded from the protocol. For those not eligible for the protocol, this is the date of arrival. Otherwise, this is the date the person became excluded from the protocol.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Excluded Datetime cannot have been after Discharge Date.

Dataset Segment:	Demographic Variables
Data Element Name:	Excluded Explain
Format – Length:	Set-13
SPARCS variable:	No
Mandatory:	Situational

If the patient was excluded from the protocol due to a clinical contraindication to one or more of the interventions in the protocol, submit all interventions that were contraindicated.

Submit a number for each applicable exclusion, separated by a colon.

Example 1:2:4 which represents options 1, 2, and 4 as <u>each</u> present as an exclusion.

Codes and Values:

- 1 = IV or IO fluids (acute, decompensated congestive heart failure)
- 2 = IV or IO fluids (end stage renal disease with signs of fluid overload)
- 3 = Central Line (significant uncorrectable coagulation abnormalities)
- 4 = Central Line (anatomic obstacles or limitations)

5 = Vasopressors or inotropes for refractory hypotension (significant uncorrectable coagulation abnormalities)

6 = Vasopressors or inotropes for refractory hypotension (anatomic obstacles or limitations)

7 = Mechanical Ventilation

Edit Applications:

• A total of seven (7) possible exclusions may be submitted, representing a case whereby all exclusions were met for the case.

Adherence Variables

Dataset Segment:	Adherence Variables
Data Element Name:	Earliest Time
Format – Length:	Datetime-16
SPARCS variable:	No
Mandatory:	Situational

For patients whose protocol was initiated in the ER, this is the time of arrival to the Emergency Room. This is the first/earliest date recorded in the chart. This could be, but not necessarily, the same as the triage date.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - a. 1959-11-03123:42 Is also
 - 4. Midnight = 00:00, not 24:00
- Cannot have been after *Discharge Datetime*.
- If the protocol was not started in the ED, then *Earliest Time* and *Triage Datetime* will be blank.

Dataset Segment:	Adherence Variables
Data Element Name:	Triage Datetime
Format – Length:	Datetime-16
SPARCS variable:	No
Mandatory:	Situational

For patients whose protocol was initiated in the emergency room, this is the date of the triage assessment of the patient.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - 2. YYYY = four-digit year MM = two-digit month (01=January, etc.) DD = two-digit day of month (01 through 31) hh = two digits of hour (00 through 23) (am/pm NOT allowed) mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 - a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been after *Discharge Date*.

Adherence Variables

Data Element Name:ProtFormat – Length:DataSPARCS variable:NoMandatory:Situation

Description:

The earliest date the protocol was started.

Codes and Values:

Edit Applications:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been after *Discharge Date*.

32 Version 1.2 Rev. 6/2014

Protocol Datetime Datetime-16 No Situational

Adherence Variables

Data Element Name: Format – Length: SPARCS variable: Mandatory: Vascular or Intraosseous Access Datetime Datetime-16 No Situational

Description:

The earliest date vascular access (IV or IO) was obtained.

Codes and Values:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been after *Discharge Date*.

Dataset Segment:	Adherence Variables
Data Element Name:	Left ED Datetime
Format – Length:	Datetime-16
SPARCS variable:	No
Mandatory:	Situational

For patients whose sepsis protocol was initiated in the emergency department, this is the date they left the emergency department.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 - a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been before *Triage Date*.

Dataset Segment:	Adherence Variables
Data Element Name:	Destination after ED
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Situational

For patients whose sepsis protocol was initiated in the emergency department, this is where they went upon leaving the emergency department.

Codes and Values:

- 1 = Non-ICU in same hospital
- 2 = ICU in same hospital
- 3 = Transfer to another hospital
- 4 = Discharged from hospital
- 5 = Patient died in emergency department
- 6 = Patient left against medical advice

Adherence Variables

Data Element Name:Lactate ReportedFormat – Length:Enumerated-1SPARCS variable:NoMandatory:Situational

Description:

Indicate whether a lactate level was reported by the lab.

Codes and Values:

- 0 = Lactate not reported
- 1 = Lactate was reported
- 2 = Lactate was not ordered

- If *Lactate Reported*=1, answer additional lactate questions.
- If *Lactate Reported*=0 or 2 then all of the below are blank:
 - Lactate Reported Datetime
 - Lactate Level
 - Lactate Level Unit
 - Lactate Re-ordered
 - Lactate Re-ordered Datetime

Adherence Variables

Data Element Name:Lactate ReportFormat – Length:Datetime-16SPARCS variable:NoMandatory:Situational

Description:

The date the first lactate level was reported by the lab.

Codes and Values:

Edit Applications:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been before Admission Date.

Lactate Reported Datetime Datetime-16 No Situational

Dataset Segment:	Adherence Variables	
Data Element Name:	Lactate Level	
Format – Length:	Decimal-4	
SPARCS variable:	No	
Mandatory:	Situational	

The actual lactate level of the first test.

Codes and Values:

Edit Applications:

• Must be numeric to one decimal place (example 19.8).

Dataset Segment:	Adherence Variables	
Data Element Name:	Lactate Level Unit	
Format – Length:	Enumerated-1	
SPARCS variable:	No	
Mandatory:	Situational	

Select the unit in which the lactate level is reported.

Codes and Values:

1 = mg/dL 2 = mmol/L

Adherence Variables

Data Element Name: Lactate Re-ordered Format – Length: Enumerated-1 SPARCS variable: No Situational Mandatory:

Description:

Indicate whether a lactate level was re-ordered/re-measured.

Codes and Values:

- 0 = Lactate not re-ordered/re-measured
- 1 = Lactate was re-ordered/re-measured

Edit Applications:

- If *Lactate Re-ordered*=1, answer *Lactate Re-ordered Datetime* question.
- If Lactate Re-ordered =0 then Lactate Re-ordered Datetime is blank.

Dataset Segment:	Adherence Variables	
Data Element Name:	Lactate Re-ordered Datetime	
Format – Length:	Datetime-16	
SPARCS variable:	No	
Mandatory:	Situational	

The date the lactate level was re-measured. This would be the date the lactate remeasurement results were obtained.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 - a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

Dataset Segment:	Adherence Variables
Data Element Name:	Blood Cultures Obtained
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Situational

Indicate whether blood cultures were obtained. This culture could be up to 24 hours prior to the initiation of the sepsis protocol to 48 hours after the initiation of the sepsis protocol.

Codes and Values:

0 = Blood culture not obtained

1 = Blood culture was obtained

- If *Blood Cultures Obtained*=1, answer additional blood culture questions.
- If *Blood Cultures Obtained* =0 then all of the below are blank:
 - Blood Cultures Obtained Datetime
 - o Blood Cultures Result
 - Blood Cultures Pathogen

Dataset Segment:	Adherence Variables	
Data Element Name:	Blood Cultures Obtained Datetime	
Format – Length:	Datetime-16	
SPARCS variable:	No	
Mandatory:	Situational	

The date the first blood culture was obtained. This culture could be up to 24 hours prior to the initiation of the sepsis protocol to 48 hours after the initiation of the sepsis protocol.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 - a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- Cannot have been more than 24 hours prior to or 48 hours after *Protocol Datetime*.

Dataset Segment:	Adherence Variables
Data Element Name:	Blood Cultures Result
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Situational

Indicate if the result of the first blood culture was positive or negative. This culture could be up to 24 hours prior to the initiation of the sepsis protocol to 48 hours after the initiation of the sepsis protocol. A positive blood culture is defined as a recognized pathogen from one or more blood cultures.

Codes and Values:

- 0 = Negative blood culture
- 1 = Positive blood culture

Adherence Variables

Data Element Name: Format – Length: SPARCS variable: Mandatory: Blood Cultures Pathogen Enumerated-1 No Situational

Description:

Select the most abundant pathogen in the blood culture.

Codes and Values:

- 0 = No pathogen reported
- 1 = Gram positive bacteria
- 2 = Gram negative bacteria
- 3 = Anaerobic bacteria
- 4 = Yeast
- 5 = Fungus
- 6 = Mixed pathogens
- 7 = Viral

Adherence Variables

Data Element Name: Antibiotics Given Format – Length: Enumerated-1 SPARCS variable: No Situational Mandatory:

Description:

Indicate whether broad spectrum antibiotics were administered.

Codes and Values:

- 0 = Antibiotics not given
- 1 = Antibiotics given after the initiation of the sepsis protocol.
- 2 = Antibiotics were given prior to the initiation of the sepsis protocol.

Edit Applications:

- If Antibiotics Given=1 or 2, complete Antibiotics Start Datetime.
- If Antibiotics Given =0 then Antibiotics Start Datetime is blank.

Adherence Variables

Data Element Name:AntibiotFormat – Length:DatetimSPARCS variable:NoMandatory:Situatio

Description:

The date broad spectrum antibiotics were started.

Codes and Values:

Edit Applications:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

47 Version 1.2 Rev. 6/2014

Antibiotics Start Datetime Datetime-16 No Situational

Dataset Segment:	Adherence Variables	
Data Element Name:	Adult Fluids	
Format – Length:	Enumerated-1	
SPARCS variable:	No	
Mandatory:	Situational	

If *Protocol Type*= 1 (Adult), indicate if at least 30ml/kg crystalloid were given if the patient was hypotensive or had a lactate level of greater than or equal to 4 mmol/L.

Codes and Values:

- 0 = At least 30ml/kg crystalloid were not given
- 1 = At least 30ml/kg crystalloid were given
- 2 = Volume of fluids given is unknown
- 9 = Patient is not adult

Edit Applications:

- If *Pediatric Fluids* = 9 *Adult Fluids* must not = 9.
- If *Protocol Type* = 1 *Adult Fluids* must not = 9

nent: Adhere	ence Variables
Name: Pediatr	ric Fluids
gth: Enume	rated-1
ble: No	
Situatio	onal
gth: Enume ble: No	rated-1

If *Protocol Type* = 2 (Pediatric), indicate if at least 20cc/kg isotonic saline or colloid were given.

Codes and Values:

- 0 = At least 20cc/kg isotonic saline or colloid were not given
- 1 = At least 20cc/kg isotonic saline or colloid were given
- 2 = Volume of fluids given is unknown
- 9 = Patient is not Pediatric

Edit Applications:

- If Adult Fluids = 9 Pediatric Fluids must not = 9.
- If *Protocol Type* = 2 *Pediatric Fluids* must not = 9

Data Element Name:	Fluids Completed Datetime
Format – Length:	Datetime-16
SPARCS variable:	No
Mandatory:	Situational

Dataset Segment:

The date the fluids were completed.

For pediatric patients this is the completion of giving at least 20cc/kg isotonic saline or colloid. For adult patients this is the completion of giving at least 30ml/kg crystalloid if the patient was hypotensive or had a lactate level of greater than or equal to 4 mmol/L.

Codes and Values:

Edit Applications:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm
 - a. YYYY-MM-DDThh:mm is also valid
 - 2. YYYY = four-digit year

MM = two-digit month (01=January, etc.)

DD = two-digit day of month (01 through 31)

hh = two digits of hour (00 through 23) (am/pm NOT allowed) mm = two digits of minute (00 through 59)

- 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 - a. 1959-11-03T23:42 is also valid
- 4. Midnight = 00:00, not 24:00

50 Version 1.2 Rev. 6/2014

Adherence Variables

Dataset Segment:	Adherence Variables
Data Element Name:	Fluids Assessment
Format – Length:	Set-9
SPARCS variable:	No
Mandatory:	Situational

Indicate the means of evaluating response to fluid resuscitation.

Submit a number for each applicable option, separated by a colon.

Example 1:2:4 which represents options 1, 2, and 4 as each present.

Codes and Values:

- 1 IVC Ultrasound
- 2 Central Venous Pressure
- 3 Clinical Judgment
- 4 -ScVO₂ or SVO₂
- 5 Lactate Clearance

Edit Applications:

• A total of five (5) possible options may be submitted, representing a case whereby all options were exercised for the case.

Dataset Segment:	Adherence Variables	
Data Element Name:	Hypotension	
Format – Length:	Enumerated-1	
SPARCS variable:	No	
Mandatory:	Situational	

Indicate if the patient has persistent hypotension or had a lactate level of greater than or equal to 4 mmol/L that is not responsive to fluids.

• Elevated lactate defined as >=4mmol/L

Codes and Values:

- 0 = Hypotension or elevated lactate level not responsive to fluids
- 1 = Hypotension or elevated lactate level responsive to fluids
- 2 = No hypotension or elevated lactate

Dataset Segment:	Adherence Variables	
Data Element Name:	Vasopressors Given	
Format – Length:	Enumerated-1	
SPARCS variable:	No	
Mandatory:	Situational	

Indicate if the patient was given vasopressors/inotropes. For pediatric patients, indicate if cardiovascular drug therapy support was given.

Codes and Values:

0 = No 1 = Yes

Data Element Name:	Vasopressors Given Datetime
Format – Length:	Datetime-16
SPARCS variable:	No
Mandatory:	Situational

Dataset Segment:

The date first vasopressors/inotropes/cardiovascular drug therapy support was given.

Codes and Values:

Edit Applications:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

Adherence Variables

Dataset Segment:	Adherence Variables
Data Element Name:	CVP Measured
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Situational

Indicate whether CVP was measured.

Codes and Values:

0 = CVP not measured

1 = CVP measured

Edit Applications:

- If CVP Measured=1, report CVP Measured Datetime.
- If CVP Measured =0 then *CVP Measured Datetime* is blank.

Data Element Name: Format – Length: SPARCS variable: Mandatory:

Description:

The date CVP was measured.

Codes and Values:

Edit Applications:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

Adherence Variables

CVP Measured Datetime Datetime-16 No Situational

Dataset Segment:	Adherence Variables
Data Element Name:	ScVO ₂ Measured
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Situational

Indicate whether ScVO₂ or SVO₂ was measured.

Codes and Values:

- $0 = ScVO_2$ or SVO_2 not measured
- 1 = ScVO₂ or SVO₂ measured

- If ScVO₂ Measured=1, report *ScVO2 Measured Datetime*.
- If ScVO₂ Measured =0 then *ScVO2 Measured Datetime* is blank.

Data Element Name: Format – Length: SPARCS variable: Mandatory:

Description:

The date ScVO₂ or SVO₂ was measured.

Codes and Values:

Edit Applications:

- Formatting:
 - Format must be YYYY-MM-DD hh:mm

 YYYY-MM-DDThh:mm is also valid
 - YYYY = four-digit year
 MM = two-digit month (01=January, etc.)
 DD = two-digit day of month (01 through 31)
 hh = two digits of hour (00 through 23) (am/pm NOT allowed)
 mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42
 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

Adherence Variables

ScVO₂ Measured Datetime Datetime-16 No Situational

Severity Adjustment Variables

Dataset Segment:	Severity Adjustment Variables
Data Element Name:	Platelet Count
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Was the platelet count at the time of sepsis protocol initiation <150,000 cells/mm³?

Codes and Values:

0 = No

- 1 = Yes
- 2 = Unknown
- 3 = Protocol not initiated

Dataset Segment:	Severity Adjustment Variables
Data Element Name:	Bandemia
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Was the band count more than 5% of the total white blood cell count at the time of the sepsis protocol initiation?

Codes and Values:

- 0 = No
- 1 = Yes
- 2 = Unknown
- 3 = Protocol not initiated

Dataset Segment:	Severity Adjustment Variables
Data Element Name:	Lower Respiratory Infection
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Was there infiltrate on the patient's chest radiograph or the presence of clinical findings suggestive of lower respiratory infection?

Codes and Values:

0 = No 1 = Yes 2 = Unknown

Dataset Segment:	Severity Adjustment Variables
Data Element Name:	Altered Mental Status
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Was there any difference from the patient's baseline in any of the three spheres of orientation (sense of person/self, place and date/time) or in their level of alertness?

Codes and Values:

0 = No 1 = Yes 2 = Unknown **Comorbidity Variables**

Dataset Segment:	Comorbidity Variables
Data Element Name:	Septic Shock Diagnosis
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if the patient has been diagnosed with severe sepsis and/or septic shock.

Record the highest level of severity of the patient. For example, if a patient had severe sepsis and progressed to septic shock, select 2 (Patient was diagnosed with septic shock).

Pediatric patients should be categorized as having septic shock if unable to differentiate between severe sepsis and septic shock.

Codes and Values:

- 0 = Patient was not diagnosed with either severe sepsis or septic shock
- 1 = Patient was diagnosed with severe sepsis
- 2 = Patient was diagnosed with septic shock

65 Version 1.2 Rev. 6/2014

. -

Dataset Segment:	Comorbidity Variables
Data Element Name:	Infection Etiology
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if the severe sepsis or septic shock was the result of a hospital acquired infection.

Codes and Values:

0 = No 1 = Yes 2 = Unknown

Comorbidity Variables

Data Element Name: Site of Infection Format – Length: Enumerated-1 SPARCS variable: No Mandatory: Yes

Description:

Indicate the suspected or diagnosed site of infection.

Codes and Values:

- 1 = Urinary
- 2 = Respiratory
- 3 = Gastrointestinal
- 4 = Skin
- 5 = Central Nervous System
- 6 = Other
- 7= Unknown

Dataset Segment:	Comorbidity Variables
Data Element Name:	Mechanical Ventilation
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate whether the patient had mechanical ventilation support during the hospital stay. Do not report patients with only CPAP for sleep apnea as having mechanical ventilation.

Codes and Values:

0 = No mechanical ventilation

1 = Mechanical ventilation

Edit Applications:

- If Mechanical Ventilation=1, report Mechanical Ventilation Datetime.
- If Mechanical Ventilation=0 then Mechanical Ventilation Datetime is blank.

Comorbidity Variables

Data Element Name: Mechanical Ventilation Datetime Format – Length: Datetime-16 SPARCS variable: No Mandatory: Situational

Description:

The date the patient was first started on mechanical ventilation.

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm a. YYYY-MM-DDThh:mm is also valid
 - 2. YYYY = four-digit year MM = two-digit month (01=January, etc.) DD = two-digit day of month (01 through 31) hh = two digits of hour (00 through 23) (am/pm NOT allowed) mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

Dataset Segment:	Comorbidity Variables
Data Element Name:	ICU
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if the patient was admitted to the Intensive Care Unit (ICU).

Codes and Values:

- 0 = Patient not admitted to ICU
- 1 = Patient admitted to ICU

Edit Applications:

- If ICU=1, report ICU Admission Datetime.
- If ICU=0 then ICU Admission Datetime is blank.

Comorbidity Variables

Data Element Name: **ICU Admission Datetime** Format – Length: Datetime-16 SPARCS variable: No Mandatory: Situational

Description:

The date the patient was first admitted to the Intensive Care Unit (ICU).

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm a. YYYY-MM-DDThh:mm is also valid
 - 2. YYYY = four-digit year MM = two-digit month (01=January, etc.) DD = two-digit day of month (01 through 31) hh = two digits of hour (00 through 23) (am/pm NOT allowed) mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00

Comorbidity Variables

Data Element Name: ICU Discharge Datetime Format – Length: Datetime-16 SPARCS variable: No Mandatory: Situational

Description:

The date the patient was first discharged from the Intensive Care Unit (ICU).

Codes and Values:

- Formatting:
 - 1. Format must be YYYY-MM-DD hh:mm a. YYYY-MM-DDThh:mm is also valid
 - 2. YYYY = four-digit year MM = two-digit month (01=January, etc.) DD = two-digit day of month (01 through 31) hh = two digits of hour (00 through 23) (am/pm NOT allowed) mm = two digits of minute (00 through 59)
 - 3. Example: 11:42 pm November 3, 1959=1959-11-03 23:42 a. 1959-11-03T23:42 is also valid
 - 4. Midnight = 00:00, not 24:00
- ICU Discharge Datetime may not precede ICU Admission Datetime.

Dataset Segment:	Comorbidity Variables
Data Element Name:	Chronic Respiratory Failure
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Patient has chronic respiratory failure that requires use of mechanical ventilation. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but developed prior to initiation of sepsis protocol
- 3 = Developed after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	AIDS/HIV Disease
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient has AIDS or HIV infection. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but discovered prior to initiation of sepsis protocol
- 3 = Discovered after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Metastatic Cancer
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient has any solid, malignant neoplasm with evidence of metastasis beyond the primary involved organ, including involvement of lymph nodes (exclude lymphoma/leukemia/multiple myeloma). This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but discovered prior to initiation of sepsis protocol
- 3 = Discovered after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Lymphoma/Leukemia/Multiple
	Myeloma
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient has malignant neoplasm of lymphatic and hematopoietic tissue including those neoplasms which may be in clinical remission. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but discovered prior to initiation of sepsis protocol
- 3 = Discovered after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Immune Modifying Medications
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient is taking disease modifying medications/therapies (drugs and biologics) for collagen diseases, corticosteroids, chemotherapeutic agents through any modality (oral, IV, IM, etc.) known to specifically adversely impact the function of the immune system as primary therapeutic goal or unintended side effect, including steroids (excluding inhaled or topical steroids), radiotherapy, chemotherapy. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but started prior to initiation of sepsis protocol
- 3 = Started after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Congestive Heart Failure
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

An indication of congestive heart failure with evidence of treatment; include compensated and uncompensated congestive heart failure. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

Codes and Values:

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but developed prior to initiation of sepsis protocol
- 3 = Developed after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Chronic Renal Failure
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient has renal failure sufficient to require peritoneal dialysis or hemodialysis. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but developed prior to initiation of sepsis protocol
- 3 = Developed after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Chronic Liver Disease
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient has chronic liver disease as defined as the presence of cirrhosis or other liver disease accompanied by elevated bilirubin>2mg/dL and serum albumin <3.5g/dL, documentation of prior or present esophageal or gastric varices, portal hypertension, previous hepatic encephalopathy or ascites with notation of liver disease. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

Codes and Values:

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but developed prior to initiation of sepsis protocol
- 3 = Developed after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Diabetes
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient was diagnosed and/or treated for diabetes or notation of a HbA1c of 6.5% or higher. Include patients on any pharmacologic therapy; exclude diet controlled, history of pregnancy related diabetes, and acute hyperglycemia without known history of diabetes. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but developed prior to initiation of sepsis protocol
- 3 = Developed after the initiation of sepsis protocol

Dataset Segment:	Comorbidity Variables
Data Element Name:	Organ Transplant
Format – Length:	Enumerated-1
SPARCS variable:	No
Mandatory:	Yes

Indicate if patient had an organ transplant including heart, lung, kidney, liver, pancreas, stem cell/bone marrow. Exclude corneal or skin transplant/grafting. This is demonstrated by a history of the condition reported in the chart by any source, lab or radiologic results which would be considered diagnostic of the condition or notation in the chart indicating the patient has been/was diagnosed with the condition.

- 0 = Not present
- 1 = Present on admission
- 2 = Not present on admission, but received transplant prior to initiation of sepsis protocol
- 3 = Received transplant after the initiation of sepsis protocol

Sepsis Data Submission Data Types and Constraints

Data Typing:

date	YYYYMMDD
datetime	YYYY-MM-DD hh:mm OR YYYY-MM-DDThh:mm
enumerated	defined list of possible values, single choice
set	defined list of possible values, composite choice with each choice
	separated by a colon.
varchar	variable ascii character
int	integer
decimal	fixed point (precision, scale)

Data Constraints:

- comma signals specified available values (A,Z allows only A or Z)
- dash signals range of values (A-Z allows any letter from A through Z)
- minlength is the minimum ASCII character length of the element IF the element is submitted. Where blanks are allowed, minlength is moot.
- maxlength denotes the total allowed space per element, but is not fixed width. Do not left-pad or zero-fill.

The most up to date *Table of Elements* defining data submission data element names, data element min and max lengths and, data element constraints for each data element may be downloaded at <u>http://protocol.sepsis.ipro.org/</u>.

Blanks:

If *Protocol Initiated* equals 0; *protocol not initiated*, then all adherence variables may be blank. However, if documentation in the medical record indicates that treatment was provided for one or more of the adherence variables, please complete these elements.

There may be cases for which data elements can include a blank field. Cases with blank fields depend upon situational responses to related data elements. For example, if a protocol was <u>not</u> initiated in the emergency room, then *Triage Datetime* will be blank. Potential blank data element fields are listed below.

Potential blank data fields (other than all adherence elements excluded for no protocol implementation) include:

Excluded_reason	Excluded_datetime
Excluded_explain	Earliest_datetime
Triage_datetime	Protocol_datetime
Vascular_or_interosseous_access_datetime	Left_ed_datetime
Destination_after_ed	Lactate_reported_datetime
Lactate_level	Lactate_level_unit
Lactate_reordered	Lactate_reordered_datetime
Blood_cultures_obtained_datetime	Blood_cultures_result
Blood_cultures_pathogen	Antibiotics_start_datetime
Fluids_completed_datetime	Fluid_assessment
Vasopressors_given_datetime	Cvp_measured_datetime
Scvo2_measured_datetime	Mechanical_ventilation_datetime
Icu_admission_datetime	Icu_discharge_datetime

Change Log

Version 1.2

All data element Format-Length values have been modified to align with data submission specifications. A section providing general data element specifications has been added with a reference to the location of the downloadable *Table of Elements,* or template. The data dictionary was also modified as necessary to denote revised mandatory versus situational fields. For example, all Severity Adjustment and Comorbidity Variables are noted as *mandatory* data elements. The *Index* was eliminated and replaced with a hyperlink *Table of Contents* to facilitate use of the dictionary.

Element *Insurance Number* updated to provide definition clarification and alignment with SPARCS.

Element *Facility Identifier* updated to clarify that the PFI can range from four to six digits. Element *Source of Admission* amended to define code value 1 to specify "from home or from an assisted living facility", all other values and codes align with SPARCS.

Element *Earliest Time* reverted to v1.0 description and further clarified edit applications. Element *Race* updated to reflect 4/2014 SPARCS definitions and, to permit multiple race codes to be captured for a patient. If multiple race codes are chosen, this data element will no longer align with SPARCS therefore the data element is not designated as a SPARCS variable. Element *Ethnicity* updated to reflect 2014 SPARCS definitions.

Example *datetime* now correctly reads 23:42.

Element *Excluded Explain* amended to exclude Codes and Values: *3=Antibiotics* therefore all subsequent Codes and Values were altered and the Format-Length was reduced.

Element *Blood Cultures Pathogen* amended to include Codes and Values: 7=Viral.

Element *ScVO₂ Measured* and *ScVO₂ Measured Datetime* amended description to include SVO₂. Element *Site of Infection* amended to include Codes and Values: *7=Unknown*.

Element *Mechanical Ventilation* amended to specify patients with CPAP for sleep apnea as not having mechanical ventilation for reporting purposes.

Element *Lactate Reordered* amended element definition to clarify re-measured.

Element *Lactate Reordered Datetime* amended definition to clarify re-measurement results datetime. Additionally, the edit application removed "cannot have been before *Lactate Reported Datetime*".

Element *Platelet Count* amended to add code value 3 = Protocol not initiated.

Element *Bandemia* amended to add code value 3 = Protocol not initiated.

Element *Date of Birth* format amended to align completely with SPARCS.

Element *Payer* amended to align completely with SPARCS; additional codes and values added. Element *Medical Record Number* amended to align completely with SPARCS; format length modified.

Element Admission Datetime and Discharge Datetime were amended to note that they are not

SPARCS aligned variables.

Element *Discharge Status* amended to align with April 2014 SPARCS definitions, codes and values. Element *Fluids Start Datetime* was deleted and replaced with *Fluids Completed Datetime*.

Version 1.1

Removed element First Name Removed element Last Name Removed element Social Security Number Added element Unique Personal Identifier Added element Patient Control Number Modified Edit Applications for element Date Of Birth Modified all Date elements that have a related Time element to be combined Datetime elements (YYYY-MM-DD hh:mm) Removed all Time elements Modified element Insurance Number from AlphaNumeric-30 to AlphaNumeric-19 Modified element Adult Fluids to include additional code (9=Not Adult) Modified element *Pediatric Fluids* to include additional code (9=Not Pediatric) **Protocol Initiated** now specifies collection of severity adjustment and **Comorbidity Variables** in all cases. Admission Datetime now specifies cannot precede January 1, 2014 Discharge Datetime now specifies cannot precede April 1, 2014 **Excluded Explain** now specifies clinical reasons for exclusions Excluded Explain modified from AlphaNumeric 9 to AlphaNumeric 15 Septic Shock Diagnosis clarified for pediatric patients